


MIDI MERGE-3 Box(MERGE-3)



Instructions


1. Product Introduction

MIDI MERGE-3 box (hereinafter referred to as product) can combine up to 3 MIDI input signals (such as MIDI keyboard or controller) into 1 MIDI data stream, which can be output through 1 MIDI interfaces. Supports the merging of various standard MIDI commands, including MIDI clock, MIDI time code and SysEx.

2. Product Parameters

Name	Description
Model	MERGE-3
Size (L x W x H)	88*73*38mm
Weight	155g
MIDI Interface	3 input, 1 output, standard MIDI five-pin interface
Power In Interface	Powered by USB-B interface, 5VDC
Indicator Light	Product power indicator
MIDI Compatibility	Compatible with all musical instruments with MIDI standard interface

3. Product Interface



- ❶ POWER IN: Product power supply interface, use USB-B plug to supply power to the product, supply voltage 5V/1A, with power indicator.
- ❷ MIDI IN 1-3: 3 MIDI input interfaces, using a standard five-pin MIDI cable, connected to the output interface of the MIDI device.
- ❸ MIDI OUT 1: 1 MIDI output interfaces, using standard five-pin MIDI cable, connected to the input interface of the MIDI device.

4. Product Connection

Support up to 3 MIDI input and 1 MIDI outputs at the same time:

